

TEST REPORT: HNSA/230906519-AG33317 REPORTED DATE: 25-September-2023

CUSTOMER: YI JIA INTERNATIONAL SDN. BHD.

NO. 9 & 10, JALAN PUTERI 7/13A,

BANDAR PUTERI,

47100 PUCHONG, SELANGOR

The following sample(s) was/were submitted and identified by applicant as:

SAMPLE MARKING: PRODUCT NAME: MIRIKEL COFFEE, PRODUCT CODE: CPF0923305, MFG DATE: 04.09.2023,

EXP DATE: 03.09.2025

SAMPLING DATE : -

SAMPLE DESCRIPTION : Powder

CUSTOMER REF. : -

SAMPLE ID : AG33317

SGS JOB NO. : H&N / 2023-09-18-1113

SAMPLE CONDITION : Ambient temperature and Intact / Sealed

SAMPLE RECEIVED : 15-September-2023

TESTING PERIOD : 18-September-2023 to 22-September-2023

TEST RESULTS : -PLEASE REFER TO NEXT PAGE(S)-

NOTES : -N.D. = Not Detected

- Specification(s) is/are as per client's requirement.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

LOW ZHEN HUI

MULTI-BUSINESS LABORATORY MANAGER FOOD ANALYST NO. MJMM0178

Test Report Form No.: SGS/TR/HN/003, Ver. 1.0, Effective Date: 10/02/2021

Page 1 of 2

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/terms-and-conditions/terms

GS (Malaysia) Sdn. Bhd. Lot 4, Persiaran Jubli Perak Seksyen 22, 40300 Shah Alam, Selangor Darul Ehsan, Malaysia. (Company No. 10871-T) t+6(03) 7627 0080 f+6(03) 7627 0082 www.sgs.com



TEST REPORT: HNSA/230906519-AG33317 REPORTED DATE: 25-September-2023

CUSTOMER : YI JIA INTERNATIONAL SDN. BHD.

: AG33317 - PRODUCT NAME: MIRIKEL COFFEE, PRODUCT CODE: CPF0923305, MFG DATE: 04.09.2023, SAMPLE ID

EXP DATE: 03.09.2025

TEST RESULTS

TEST PARAMETER	TEST METHOD	SPECIFICATION	RESULT	UNIT
Aerobic Plate Count @ 37°C for 48 hours	BS EN ISO 4833-1:2013	Max 1.0 x 10 ⁵	80	cfu/g
Coliform Count @ 37°C	BS ISO 4832: 2006	Max 50	N.D.(<10)	cfu/g
Cadmium (Cd)	In-house Method, SGS-SOP-LAB-028 based on AOAC 986.15, 975.03 & 922.02, APHA 3120B and APHA 3125B (ICP-OES)	Max 1.0	N.D.(<0.5)	mg/kg
Lead (Pb)	In-house Method, SGS-SOP-LAB-028 based on AOAC 986.15, 975.03 & 922.02, APHA 3120B and APHA 3125B (ICP-OES)	Max 2.0	N.D.(<0.5)	mg/kg
Arsenic (As)	In-house Method, SGS-SOP-LAB-028 based on AOAC 986.15, 975.03 & 922.02, APHA 3120B and APHA 3125B (ICP-OES)	Max 1.0	N.D.(<0.5)	mg/kg
Antimony (Sb)	In-house Method, SGS-SOP-LAB-028 based on AOAC 986.15, 975.03 & 922.02, APHA 3120B and APHA 3125B (ICP-OES)	Max 1.0	N.D.(<0.5)	mg/kg
Mercury (Hg)	In-house method, CL-TM-01-044 based on US EPA SW-846 Method 7473, 2007 (Mercury Analyzer)	Max 0.05	N.D.(<0.02)	mg/kg

SIGNED FOR AND ON BEHALF OF MAYSIA SGS (MALAYSIA) SDN BHD

10871-T LOW ZHEN HUI MULTI-BUSINESS LABORATORY MANAGER

FOOD ANALYST NO. MJMM0178 Test Report Form No.: SGS/TR/HN/003, Ver. 1.0, Effective Date: 10/02/2021

*** End of test report ***

Page 2 of 2

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/terms-and-conditions/terms

Lot 4, Persiaran Jubli Perak, Seksyen 22, 40300 Shah Alam, Selangor Darul Ehsan, Malaysia. t+6(03) 7627 0080 f+6(03) 7627 0082 www.sgs.com